

RESTECH NORWAY AS









Phone +47 7554 2440, Fax +47 7554 2441
 www.restech.no mail restech@restech.no



















Pneumatic Line Throwers

PRICELIST Valid from 01.01.2010, (version 1) subject to change without notice.

Art No	For art no	Description	Price NOK	Picture
1000	2000, 3000, 5000, 6000	Base unit without air cylinder and cover.	On request	
1005	2000, 3000, 5000, 6000	Base unit with air cylinder and cover	On request	
1006	2000, 3000, 5000, 6000	Same as Art No 1005, but certified for the US and Canadian market.	On request	 USA/Canadian version
1050	1005	Packings and O-rings for the PLT Base unit	On request	
1303	2000	Launching Tube for Rescue 230	On request	
1306	2000, 3000, 4000, 5000, 6000	Air Cylinder w/ closing valve. 1,45 liter (50 fl oz). Work pressure 300bars/4350psi	On request	
1307	2000, 3000, 4000, 5000, 6000	Same as Art No 1306, but certified for the US and Canadian market.	On request	 USA/Canadian version
1308	1306	Adapter for filling of the air cylinder from Yoke 200 bars (3000psi) standard.	On request	
1310	1306	Air filling hose with couplings and pressure releaser.	On request	
1502	2000, 3000, 4000, 5000	Pivot Support. Recommended used for a safer handling of the PLT. Fits in to the Pivot Tube.	On request	












1503	2000, 3000, 4000, 5000	Pivot Tube. Shall be welded on the rail at convenient spots for firing.	On request	
2000	R-230	Rescue 230 complete according to Solas 74/83. Contents: 1 Art no 1005 PLT Basic 1 Art no 1303 Launching Tube 4 Art no 2101 Projectile Rescue 1 Art no 2200 Loading Device 1 Art no 3303 Launching Tube 1 Art no 7004 Training Projectile 1 Art no 6201 Linebox	On request	 0575/05
2001	R-230	Same as Art No 2000, but the air cylinder is certified for the US and Canadian market.	On request	 USA/Canadian version 575/05
2101	2000	Rescue Projectile for R-230. The line is stored inside the projectile. Made from ABS plastic and aluminium.	On request	
2103	2101, 3101, 5202	Safety Line for Rescue Projectiles 3.2mm. Comes on a spool of 250 meters. Breaking strength 2000N.	On request	
2104	2101, 3101, 4101	End plug for Rescue Projectiles. The Rescue projectiles must never be fired without.	On request	
2200	2000	Loading Device for 2101, Rescue Projectile R-230. Connected to a low pressure source, 5-8 bars/75-110psi, it will blow the safety line back in to the projectile.	On request	
3000	R-125	Rescue 125. Smaller model of R-230. Contents: 1 Art no 1005 PLT Basic 1 Art no 3303 Launching tube 2 Art no 3101 Projectile Rescue 1 Art no 7004 Projectile Training 1 Art no 6201 Linebox 1 Art no 3200 Loading Device 1 CD/Users Manual	On request	








3001	R-125	Same as Art No 3000, but the air cylinder is certified for the US and Canadian market.	On request	 <p>USA/Canadian version</p>
3101	3000	Rescue Projectile for R-125. The line is stored inside the projectile. Made from ABS plastic and aluminium.	On request	
3105	3000, 5000	Projectile that contains an automatic inflatable life buoy. Range up to 115m with BIG PLT. Must be used with an external line or Linebox Art no 5202, 3,2mm-150m. Will inflate within 2 sec. After hitting the water. Buoyance 155N.	On request	
3200	3000	Loading Device for 3101, Rescue Projectile R-125. Connected to a low pressure source, 5-8 bars/75-110psi, it will blow the safety line back in to the projectile.	On request	
3303	3000, 2000 training	Launching Tube for R-125, M-150 and training R-230	On request	
4000	R-75 "Mini"	The Mini is a light version shoulder launched PLT. This is the standard package without suitcase. Contents: 1 art no 4020 Base Unit 1 art no 4006 4 pcs CO2 2 art no 4101 Rescue projectile 1 art no 4102 PUR Projectile 1 art no 4200 Loading device 1 art no	On request	
4006	4000	Disposable CO2 cartridges. Comes in a 5-pack. Note that these can be shipped by surface mail only.	On request	
4010	R-75 "Mini"	Same as Art no 4000, but in a water proof, heavy duty suitcase. It also have room for air coupling, air cylinder and light sticks for the PUR projectile.	On request	

4020	R-75 "Mini"	Base unit PLT Mini	On request	
4021	R-75 "Mini"	Base unit PLT Mini BLACK edition. Here shown with Titan grapple. (Not included)	On request	
4100	R-75 "Mini"	Water proof container for in heavy duty plastic. Easy storage and easy handling. Air and water tight. It even floats in the water. The colour is available in orange from our stock. Internal dim. 580x440x220 mm, External dim. 650x510x242mm. 56liter and 8,5	On request	
4101	4000	Rescue Projectile made from ABS and aluminium inner tube. Filled with 110m (120yd) of rescue line that is fed out during the flight. The projectile floats	On request	
4102	4000	Soft projectile made from Polyurethan. Used for general line transfer and training. A light stick can easily be attached for visibility at night. Must be used with an external line or Linebox R75 Art no 4202	On request	
4103	4000	Graple with sharp ends for pick-up og lines, nets and other things. Made from POM and Stainless Steel. The projectile does not float. Must be used with external line or Linebox Art 4202	On request	
4104	4000	Lighsticks for PUR projectile Art no 4102. Ensures night visibility of the projectile. Chemical light. Comes in 5-pack.	On request	
4105	4000	Projectile that contains an automatic inflatable life buoy. Range up to 75m (82yd). Must be used with an external line or Linebox R75 Art no 4202. Will inflate within 2 sec. After hitting the water. Buoyance 155N.	On request	

4106	4000	Rubber tipped plastic projectile that floats. Used for general line transfer or as a training projectile for PLT Mini.	On request	
4110	4101, 4202	Safety line for Rescue projectile Mini, 2mm. Breaking strength 190kg. Art no 4101 and Linebox R-75 Art no 4202.	On request	
4111	4000	Packings and O-rings for PLT Mini Art no 4020.	On request	
4113	4000	Titanium grapple with black plastic coating. For entering constructions such as buildings and boats. Ask for special prospect for solutions .	On request	
4114	4000	Closed grapple for line-pick-up for PLT Mini. The closed ends ensures that the line does not fall out. Made from Stainless Steel and plastic. Heavy Duty.	On request	
4200	4101, 4202	Loading device for reloading the line in to Rescue Projectile art no 4101 and Linebox R-75 Art no 4202. Connects to compressed air 5-10bars (72-145psi).	On request	
4202	4101, 4102, 4103, 4105, 4106	Linebox containing of safety line (90m of art no 4110). Reloads using loading device Art no 4200.	On request	
4207	4000	Quick coupling for using the PLT Mini with air. Fits any standard 5/8" diving cylinder. Takes the pressure down to suitable level. Includes safety valve. Recommended equipment for professional users. With our air cylinder art no 1306, you will get more th	On request	
4330	4000	Linebox Heavy Duty. Made from anodized aluminium. Contains 30m (32yd) of 5mm (0,2 in) line.	On request	
4331	4000	Line Box Heavy Duty. Empty.	On request	
4360	4000	Linebox Heavy Duty. Made from anodized aluminium. Contains 50m (55yd) of 4mm (0,16 in) line.	On request	
4361	4000	Line Box Heavy Duty. Empty.	On request	

4390	4000	Linebox Heavy Duty. Made from anodized aluminium. Contains 90m (98yd) of 3mm (0,12 in) line.	On request	
4391	4000	Line Box Heavy Duty. Empty.	On request	
5000	M-150	Linethrower for mooring and general line transfer. Contents: 1 Art no 1005 PLT 1 Art no 3303 Launching Tube 2 Art no 7004 Projectiles 1 Art no 5202 Line box-150 Other options of line on request 1 CD/Users Manual.	On request	
5001	M-150	Same as Art No 5000, but the air cylinder is certified for the US and Canadian market.	On request	 USA/Canadian version
5202	7004	Linebox containing 150m (164 yd) of 3,2mm (0.13 in) of line. Used for maximum range for projectile Art no 7004.	On request	
6000	M-75	Linethrower for mooring and general line transfer. Launches a plastic ball. Contents: 1 Art no 1005 PLT 1 Art no 6303 Launching Tube 2 Art no 6101 Projectiles 1 Art no 6201 Line box-75 Other options of line on request 1 CD/Users Manual.	On request	
6001	M-75	Same as Art No 6000, but the air cylinder is certified for the US and Canadian market.	On request	 USA/Canadian version
6101	6000	Ball projectile for Mooring 75. Filled with air and coolant preventing it to freeze in arctic areas.	On request	
6102	6202, 4330	Line, 120m 5mm (131yd 0.2in) braided nylon. Breaking strength 600kg.	On request	

6103	6203	Line, 100/120m 5mm (109/131yd 0.2in) braided HMPE. Breaking strength 2000kg. Floats and has very little elongation under stress.	On request	
6109	6201	Line, 120m 5mm (131yd 0.2in) Polypropylene. Breaking strength 440kg. Floats and has a very bright yellow color.	On request	
6201	6101, 7001, 7002, 7003 7004,	Linebox containing line art no 6109, polypropylene (120m). The use of Linebox ensures that the line runs out tangle and knot free. And the line is easily stored and handled.	On request	
6202	6101, 7001, 7002, 7003 7004,	Linebox containing line art no 6102, nylon (120m).	On request	
6203	6101, 7001, 7002, 7003 7004,	Linebox containing line art no 6103, HMPE (100/120m).	On request	
6303	6000	Launching Tube for Ball projectile	On request	
6304	6000	Launching Tube for Ball projectile. This extended version gives 20m (22yd) longer range.	On request	
7002	3303	Closed grapple for line-pick-up. The closed ends ensures that the line does not fall out. Made from Stainless Steel and plastic. Heavy Duty.	On request	
7003	3303	Heavy Duty plastic projectile that floats. It is equipped with holder for a lighstick. The lighstick (chemical light) makes the projectile visible in the dark. Comes with two lightsticks.	On request	
7004	3303	Rubber tipped plastic projectile that floats. Used for general line transfer or as a training projectile.	On request	
7020	7003	Light Stick. Orange with 30 minutes burning time with full effect. Comes as a 10-pack.	On request	
7021	7003	Light Stick. Yellow with 5 minutes burning time with full effect. Comes as a 10-pack.	On request	

7023	7004	Spare rubber tip	On request	
7035		Rescue Egg containing a automatically inflatable life buoy. No line attached. Ideal for MOB when ship is moving. The cover acts as a sea anchor. Buoyancy 155N	On request	
9001	2000, 3000, 4000, 5000, 6000	Lubricant. For keeping the line thrower in shape for many years. Acid and water free.	On request	
9002	1306	Spare manometer with packing for the air cylinder.	On request	
9100	2000	Squirt proof container for transportation and storage made from water proof ply-wood. Suitable for the Rescue 230. Room for all extra equipment. 123x45x35	On request	
9200	5000, 6000	Water proof container in heavy Duty plastic. Easy storage and easy handling. Fits Mooring models. The colour is available in orange from our stock. There are wheels on the container for easy transportation. Air and water tight. It even floats in the water.	On request	
9300	3000	Water proof container in heavy Duty plastic. Easy storage and easy handling. Fits Rescue 125 models. The colour is available in orange from our stock. There are wheels on the container for easy transportation. Air and water tight. It even floats in the wa	On request	

9400	2000, 3000, 5000, 6000	Water proof container in heavy Duty plastic. Easy storage and easy handling. It even floats in the water. Fits Rescue 230. Internal dim. 1350x350x135 mm, External dim. 1410x415x159mm. 63,7liter and 10kg. The colour is available in black from our stock. Th	On request	
9500	2000, 3000, 5000, 6000	Water proof container in heavy Duty plastic. Easy storage and easy handling. It even floats in the water. Internal dim. 1350x350x272 mm, External dim. 1410x415x296mm. 128,5liter and 15kg. The colour is available in black from our stock. There are wheels o	On request	
9900	1306	High pressure compressor suitable for filling the air cylinder for the PLT. 200/300 bars. (3000/4500 psi). 80liters/min. (21 galUS/min) Very compact and lightweight. Scuba air quality.	On request	
<p>Please note that we also carry other lines and special equipment for the line throwers. We also make special solutions for every need. Spare parts not mentioned are available on request.</p>				