

Restech Norway AS, website. How to Login to see Price Lists. www.restech.no

RESTECH NORWAY AS

News
Receive our newsletter

About Restech

Products

References

Distributors


Certificate

Prices

NEWS


SASMEX 24-25 April in Brighton, UK
Restech Norway AS participates at **SASMEX 24-25 April, Brighton, UK**. Please come visiting us at stand NO: 35 at Hilton Brighton Metropole Hotel.
Read more...

Certificates for Restech Norway AS lines
Now Restech Norway AS have certificates for every line in our assortment. The Spare_part_list and Art_No and the Certificate are updated on this website.



Increase of spare part-prices
As indicated earlier this year, we will maintain the level of prices for all the complete PLT models, like the R-230, R-125, M-75, M-150 and R-75-Mini. Meanwhile, some of the raw material used in our manufacturing process, has increased in prices. Therefore, we have to adjust some of the spare part-prices, from **1st July 2007**. Our price list available on our web site, will be updated according to a **5% increase of spare part- prices**, in due time.


Restech Norway AS & ARTS/RN.
Watch the video.




Best regards
Lars Klavane

Development of new tagging techniques was commenced in response to a

IMO/SOLAS Product



PLT-Rescue 230



RESTECH NORWAY AS
P.O.Box 624
N-8001 Bodo, Norway
Phone: (+47) 7554 2440
E-mail: restech@restech.no

Enterprise no. NO 951 274 763


Office address:
Jordbruksveien 41
8007 Bodo
Fax: (+47) 7554 2441

[Login / Logout](#)
CMS and webdesign
by Bedre reklame as

This price list is just for our distributors!

On page 8-10 in this manual, you will see how to show the spare parts without the value as well. That is the site for customer.

Click on Login/Logout



Use your
User:
Password:

from the email sent to
you in 2006 and click on
Login. If this user and
password is lost, please
send an email to:
[e.marthinussen@restech
.no](mailto:e.marthinussen@restech.no) and you will have it
sent by email again.

http://www.restech.no/ - Windows Internet Explorer

http://www.restech.no/

Y! Search Mail My Yahoo! Sign In

UltraEdit powered by YAHOO! SEARCH Web Search Images UltraSentry On: 107 Rank: No Data 68°F Yahoo! Mail New York 03:02

http://www.restech.no/

RESTECH NORWAY AS

News
Receive our newsletter

About Restech

Products

References

Distributors

Certificate

Prices

Marine Norway

DNV NORWEGIAN MARITIME QUALITY ASSURANCE SYSTEM

Norwegian Maritime Exporters

NEWS

SASMEX 24-25 April in Brighton, UK
Restech Norway AS participates at **SASMEX 24-25 April, Brighton, UK.**
Please come visiting us at stand NO: 35 at Hilton Brighton Metropole Hotel.
Read more...


Certificates for Restech Norway AS lines
Now Restech Norway AS have certificates for every line in our assortment. The Spare_part_list and Art_No and the Certificate are updated on this website.


Increase of spare part-prices
*As indicated earlier this year, we will maintain the level of prices for all the complete PLT models, like the R-230, R-125, M-75, M-150 and R-75-Mini. Meanwhile, some of the raw material used in our manufacturing process, has increased in prices. Therefore, we have to adjust some of the spare part-prices, from 1st July 2007. Our price list available on our web site, will be updated according to a **5% increase of spare part- prices**, in due time.*

Restech Norway AS & ARTS/RN.
Watch the video.

Development of new tagging techniques was commenced in response to a

IMO/SOLAS Product


PLT®-Rescue 230


Pneumatic Line Throwers

RESTECH NORWAY AS
P.O.Box 624
N-8001 Bodo, Norway
Phone: (+47) 7554 2440
E-mail: restech@restech.no


Enterprise no. NO 951 274 763

Office address:
Jordbruksveien 41
8007 Bodo
Fax: (+47) 7554 2441

Login / Logout
CMS and webdesign
by Bedre reklame as


Best regards
Lars Kleivane

Then you will see that "Prices" become visible under "Distributor" and "Certificate". Click on "Prices".




Click on "The latest price list" or "Weight and Dimensions". If you click "The latest price list", you will be able to see the attachment.

If you want to see a list of "Weight and Dimensions" for transportation, click on "Weight and Dimensions". Follow the same procedure as "The latest price list" below.



Click on "Price List"



Click on "Open" if you just want to see the price list or "Save" if you want to have it available on your PC.

http://www.restech.no/component/option,com_docman/task,cat_view/gid,64/Itemid,84/ - Windows Internet Explorer

http://www.restech.no

Price_NOK_05_2_2007[1].pdf - Adobe Acrobat Standard

File Edit View Document Comments Forms Tools Advanced Window Help











Create PDF Combine Files Export Start Meeting Secure Sign Review & Comment

1 / 8 62,2% Find Collect and provide feedback on documents

RESTECH NORWAY AS
 Phone +47 7554 2440, Fax +47 7554 2441
 www.restech.no mail restech@restech.no

PLT
 Pneumatic Line Throwers

PRICELIST Valid from 23 Jan 2007, subject to change without notice.

Art No	For art no	Description	Price NOK	Picture
1000	2000, 3000, 5000, 6000	Base unit without air cylinder and cover.	13 495	
1005	2000, 3000, 5000, 6000	Base unit with air cylinder and cover	20 240	
1050	1005	Packings and O-rings	350	
1303	2000	Launching Tube for Rescue 230	1 570	
1306	2000, 3000, 4000, 5000, 6000	Air Cylinder w/ closing valve. 1.46 liter (50 fl.oz). Work pressure 300bars/4360psi	5 960	
1308	1306	Adapter for filling of the air cylinder from York 200 bars (3000psi) standard.	1 055	
1310	1306	Air filling hose with couplings and pressure releaser.	1 750	
1502	2000, 3000, 4000, 5000	Pivot Support. Recommended used for a safer handling of the PLT. Fits in to the Pivot Tube.	2 520	
1503	2000, 3000, 4000, 5000	Pivot Tube. Shall be welded on the rail at convenient spots for firing.	390	
2000	R-230	Rescue 230 complete according to Solas 74/83. Contents: 1 Art no 1005 PLT Basic 1 Art no 1303 Launching Tube 4 Art no 2101 Projectile Rescue 1 Art no 2200 Loading Device 1 Art no 3303 Launching Tube 1 Art no 7004 Training Projectile 1 Art no 6201 Linebox 1 CD/Users Manual	34 340	

03.05.2007 1

Here is the price list in value, NOK, for every spare part or complete products with an Art.No.

If a customer wants to see Products, spare parts and Art. No. without the value.....

http://www.restech.no/content/view/100/90/ - Windows Internet Explorer

http://www.restech.no/content/view/100/90/

RESTECH NORWAY AS

News
About Restech
Products
Product Overview
Product Videos
Product features
Shooting Ranges
Equipment for me
Spare Parts and Art.No.
References
Distributors
Certificate

Marine Norway

DNV
NORWEGIAN ASSOCIATION OF QUALITY

M E

BASIC TYPES OF PLT® DEVICES

Basic types of PLT® devices


The PLT® has two main devices, the BIG and the MINI. Both devices can be used for rescue and as a working tool. It is only the BIG model, Rescue 230, which meets the regulation of SOLAS 74/83 with a shooting range min. 230 meters.

1. The **BIG** model which is mainly suited for large vessels that either has to comply with IMO/SOLAS regulation or is in need of a powerful working tool. Read more about the shooting range for the BIG model here:


The BIG model consist of 4 different types. The Rescue 230, Rescue 125, Mooring 150 and the Mooring 75. All the BIG models have the same Base Unit, air cylinder and chamber, but different launching tubes or projectiles.

Read more about shooting range and the launching tubes for the BIG model here: <http://www.restech.no/content/blogcategory/59/86/>
2. The PLT® **MINI** is a handy line throwing device with several projectile options. It can be operated either with CO₂ or compressed air. It is used by smaller boats such as Marine Harbour Police and for special purposes. The Visby class in Sweden uses this as a standard Mooring device. We have a black version of this device too, which is used for Special Forces for entering constructions. Can not be heat traced and can be transported under water ready for use. The PLT® Mini model is mainly suited for patrol vessels and other medium ranged operations.

IMO/SOLAS Product



PLT®-Rescue 230



Pneumatic Line Throwers

RESTECH NORWAY AS
P.O.Box 624
N-8001 Bodo, Norway
Phone: (+47) 7554 2440
E-mail: restech@restech.no

Enterprise no. NO 951 274 763

Office address:
Jordbruksveien 41
8007 Bodo
Fax: (+47) 7554 2441

Login / Logout
CMS and webdesign
by Bedre reklame as

http://www.restech.no/content/view/100/90/

Internet 100%

Start 2 Microsoft... Microsoft Ex... http://www... Innotec - Wi... Kunnskapsfo... websider - M... Price_NOK_0... NO 10:40

Click on "Products" and then "Spare Parts and Art. No."

http://www.restech.no/content/view/102/92/ - Windows Internet Explorer

http://www.restech.no/content/view/102/92/

Y! Search Mail My Yahoo! Sign In

UltraEdit powered by YAHOO! SEARCH Web Search Images UltraSentry On: 107 Rank: No Data 68°F Yahoo! Mail New York 03:46

http://www.restech.no/content/view/102/92/

RESTECH NORWAY AS

News

About Restech

Products

Product Overview

Product Videos

Product features

Shooting Ranges

Equipment for me



Spare Parts and Art.No.


References

Distributors

Certificate

Marine Norway



SPARE PARTS AND ART.NO.


This is a list containing every part Restech Norway AS can deliver. You find the art.no., which part you can use it on/with, descriptions and pictures.

If you want to order or have any question regarding:


- PLT®
- projectiles
- Pivot Support
- lines or line boxes
- suitcases
- launching tubes
- rescue buoy or rescue egg
- prices
- delivery time and costs

Use the art.no., and order/ask the nearest **Distributor** by email, fax or phone. If you don't get any answer from the distributor, please send us an email.

You can send us an email under **Product Overview**, by clicking one product and use the "Send me information about this product."


 spare_parts_05_2007 03/05/2007,10:16 587.84 Kb

IMO/SOLAS Product



thumb_r230-web

PLT@-Rescue 230



PLT®
Pneumatic Line Throwers

RESTECH NORWAY AS
P.O.Box 624
N-8001 Bodo, Norway
Phone: (+47) 7554 2440
E-mail: restech@restech.no

Enterprise no. NO 951 274 763

Office address:
Jordbruksveien 41
8007 Bodo
Fax: (+47) 7554 2441

Login / Logout
CMS and webdesign
by Bedre reklame as

Click on the attachment, "Spare Parts and Art. No."



http://www.restech.no/files/Prices/spare_parts_05_2007.pdf - Windows Internet Explorer

http://www.restech.no/files/Prices/spare_parts_05_2007.pdf

RESTECH NORWAY AS
 Phone +47 7554 2440, Fax +47 7554 2441
 www.restech.no mail restech@restech.no

PLT
 Pneumatic Line Throwers

PRICELIST Valid from 23 jan 2007, subject to change without notice.

Art No	For art no	Description	Prices	Picture
1000	2000, 3000, 5000, 6000	Base unit without air cylinder and cover.	on request	
1005	2000, 3000, 5000, 6000	Base unit with air cylinder and cover	on request	
1050	1005	Packings and O-rings	on request	
1303	2000	Launching Tube for Rescue 230	on request	
1306	2000, 3000, 4000, 5000, 6000	Air Cylinder w/ closing valve. 1,45 liter (50 fl oz). Work pressure 300bars/4350psi	on request	
1308	1306	Adapter for filling of the air cylinder from Yoke 200 bars (3000psi) standard.	on request	
1310	1306	Air filling hose with couplings and pressure releaser.	on request	
1502	2000, 3000, 4000, 5000	Pivot Support. Recommended used for a safer handling of the PLT. Fits in to the Pivot Tube.	on request	
1503	2000, 3000, 4000, 5000	Pivot Tube. Shall be welded on the rail at convenient spots for firing.	on request	
2000	R-230	Rescue 230 complete according to Sales 74/83. Contents: 1 Art no 1005 PLT Basic 1 Art no 1303 Launching Tube 4 Art no 2101 Projectile Rescue 1 Art no 2200 Loading Device 1 Art no 3303 Launching Tube 1 Art no 7004 Training Projectile 1 Art no 6201 Linebox 1 CD/Users Manual	on request	

03.05.2007 1

Here is spare parts, complete products with Art. No. without the value. The costumers can use this site.